		Rs.	a.	p.
9.	Mr. Chikkanahalli Hutcha	1	1	0
10.	„ Chikkamuniya	2	5	0
11.	„ Maddur Javara	3	12	0
12.	„ Chikkamariya	2	14	0
13.	„ Maddur Javara	3	3	0
14.	„ Andoni	1	7	0
15.	„ Narasa	5	11	0
16.	„ Bora	4	1	0
17.	„ Sheik Adam	0	9	0
18.	„ Lakkur Bala	24	3	0
19.	„ Siddanamari	0	10	6
20.	„ Krishnappa	1	12	0
21.	„ Krishna Nair	3	15	0
22.	„ Challapathi Subbudu	0	10	0
23.	„ Hussain	0	10	0
24.	„ M. Thimma	1	8	0
25.	„ Ankiah	4	3	0
26.	„ Allauddin	2	11	0
27.	„ Subbiah	0	2	0
28.	„ Venkatasubbadu	6	6	6
29.	„ Dasa Chari	1	5	0
30.	„ Madaiah	0	5	0
31.	„ Thimmaraju	1	3	0
32.	„ Siddappa	1	13	0
33.	„ Hanumanthaiah	0	5	0
34.	„ Yeerahalli Naga	0	5	0
35.	„ Arjunahalli Sanna	0	8	0
36.	„ Chikka Yeeragowda	1	0	0
37.	„ Gangaboyee	1	0	0
38.	„ Annayaswami	4	8	0
39.	„ Ankaboyee	0	1	0
	Total ..	162	1	1

Notification daied 25th September 1936.

The following amounts represented the excess recoveries towards advances from the contractors noted below and if they are not claimed within one month from this date, they will be credited to Government :—

	Messrs.—	Rs.	a.	p.
1.	Annegowda	0	0	1
2.	Ramenahalli Sidda	0	1	3
3.	B. V. Chennappaiah	0	0	5
4.	Munisamy Naidu	0	1	2
5.	Dasaboyee	0	6	3
6.	Hosur Sanka	0	10	1
7.	Wahab Sab	0	3	6
8.	Ramegowda	0	3	8
9.	Chaluvegowda	0	7	4
	Total ..	2	1	9

G. SESHAGIRI RAO,
Executive Engineer.

HASSAN DIVISION.

Notification dated 27th September 1936.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Hassan Division, up to 2 P.M., on 17th October 1936, for Constructing 1½ blocks of Linemen Quarters at Hassan. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of April 1937.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Hassan, between the hours of 11 A.M. and 5 P.M. on office days.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 160 in cash or Government Promissory Notes as earnest money, and be superscribed "Tender for Constructing 1½ blocks of Linemen's quarters at Hassan," in default of which tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Quotations must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than estimated rate will not be accepted.

Abstract estimate for constructing 1½ blocks of Linemen's quarters at Hassan (for the Electrical Department).

Item No.	Description of work	Per	Rate	Quantity	Cost
	Details for 1 Block.		Rs. a. p.		
1	Earthwork excavation for foundation and filling in basement	C.yd.	0 3 0	33	
2(*a*)	Stone jelly concrete in lime mortar for foundation	C.ft.	0 4 3	287	
(*b*)	Coarse rubble stone masonry in clay	,,	0 3 3	911	
(*c*)	Burnt brick in lime mortar	,,	0 5 0	347	
(*d*)	Burnt brick in clay	,,	0 3 6	1,747	
(*e*)	Stone slabs 4″ thick, roughly dressed and fixed in lime mortar	S.ft.	0 6 0	115	
(*f*)	Binding wall 6″×6″ of brick in lime mortar including chunam plastering	R.ft.	0 2 6	28	
(*g*)	Plastering with lime mortar	Sqr.	4 0 0	43·15	
(*h*)	Pointing with cement mortar	,,	4 0 0	145	
(*i*)	White and colour washing, two coats ..	,,	0 5 0	44·60	
3(*a*)	Roofing with first class Mangalore Tiles on teak reepers including wood oiling	Sqr.	24 0 0	13·18	
(*b*)	Ridge tiles set in mortar including cement pointing	R.ft.	0 9 0	68	
(*c*)	Ventilating tiles	Each	2 0 0	16	
4	Honney wood work wrought and put up complete with wood oiling	C.ft.	3 8 0	50·00	
5(*a*)	Teakwood doors with battened shutters 1″ thick with necessary iron fittings, etc., complete .	S.ft.	1 12 0	78	
(*b*)	Teakwood windows with pannelled shutters 1″ thick with iron fittings, etc., complete ..	,,	2 0 0	60	
(*c*)	Chocolate painting, 2 coats	Sqr.	3 8 0	3·06	
6	Constructing sinks in bath rooms	Each	5 0 0	4	

Item No.	Description of work	Per	Rate	Quantity	Cost
			Rs. a. p.		
7	Providing and fixing mortar and pestle ..	Each	10 0 0	4	
8	Constructing silk pattern drain alround leading to absorption pit	L. S.	Rupees	..	
	Latrine.				
1	Earthwork excavation	C.yd.	0 3 0	4	
2(*a*)	Coarse rubble stone in clay	C.ft.	0 3 3	130	
(*b*)	Burnt brick in lime mortar	,,	0 5 0	196	
(*c*)	Chunam mortar plastering	Sqr.	4 0 0	4·91	
(*d*)	Cement pointing	,,	4 0 0	0·56	
(*e*)	White and colour washing	,,	0 5 0	5·47	
(*f*)	Cement plastering, $\frac{1}{2}$″ thick	,,	9 0 0	0·79	
(*g*)	Tar washing, 2 coats	,,	2 0 0	0·63	
3	Flooring with $1\frac{1}{2}$″ cement concrete on 3″ ordinary concrete, including, $\frac{1}{2}$″ cement plastering	,,	20 0 0	0·38	
4	Fixing outlets and constructing drains, etc. ..	L. S.	Rupees		
5	Providing galvanized iron sheet tubs 12″×6″ with tarring	Each	1 0 0	6	

Notification dated 27th September 1936.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Hassan Division, up to 2 P.M., on 17th October 1936, for constructing quarters to lorry driver attached to Electrical Department at Hassan. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of February 1937.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's office at Hassan, between the hours of 11 A.M. and 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 70 in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for constructing quarters to Lorry Driver attached to Electrical Department at Hassan," in default of which tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office, in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the Department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Quotations must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than estimated rate will not be accepted.

Details of estimate for constructing quarters to Lorry Dirver attached to Electrical Department at Hassan.

Item	Description of work	Per	Rate	Quantity	Cost
			Rs. a. p.		
1	Earthwork excavation and filling in basement ..	C.yd.	0 3 0	18	
2	Stone jelly concrete in lime mortar	C.ft.	0 4 0	156	
3	Size stone in clay	"	0 4 6	489	
4	Burnt brick in clay	"	0 3 6	988	
5	Burnt brick in mortar	"	0 4 6	200	
6	Providing and fixing burnt stone slabs 6" thick dressed and fixed	S.ft.	0 8 0	84	
7	Providing and fixing teakwood battened shutters with necessary iron fittings, etc., complete ..	"	1 8 0	117	
8	Windows of teakwood with pannelled shutters with necessary iron fittings, etc., complete ..	"	1 12 0	30	
9	Providing and fixing shelve of teak frame and shutter with necessary iron fittings, etc., complete with 2 planks	"	1 12 0	24	
10	Honney wood work wrought and put up complete with wood oiling	C.ft.	3 8 0	37·56	
11	Roofing with First Class Mangalore Tiles on teak reepers	Sqr.	22 0 0	8·95	
12	Mangalore ridge tiles set in mortar ..	R.ft.	0 8 0	53	
13	Expanded metal frame work with teak frame of 3"×3" including doors, etc., complete ..	S.ft.	0 10 0	95	
14	Chocolate painting to doors and windows ..	Sqr.	3 8 0	5.52	
15	Mortar bands at roof ends 6"×6" including plastering	R.ft.	0 2 6	28	
16	Plastering work chunnam mortar	Sqr.	4 0 0	23·27	
17	Whitewashing	"	0 4 0	23·27	
18	Cement pointing to basement	"	4 0 0	0·93	

Notification dated 27th September 1936.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Hassan Division, up to 2 P.M. on 17th October 1936, for constructing a lorry shed attached to Electrical Colony at Hassan. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of February 1937.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office ...assan, between the hours of 11 A.M. and 5 P.M.

...nders should be submitted on printed forms which may be obtained from the Executive ... tenders should be accompanied by a statement in the form given below, showing ... different items specified will be executed.

...st be accompanied by a deposit of rupees 50 in cash or Government ... money, and be superscribed "Tender for constructing lorry shed ... Hassan," in default of which tenders will be rejected.

... tender will rest with the Executive Engineer, who does not ... to assign any reason whatever for the rejection of

...sful competitor will be required ... considered cancelled

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Quotations must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than estimated rate will not be accepted.

Details of estimate for constructing a Lorry Shed attached to Electrical Colony at Hassan.

Item No.	Description of work	Per	Rates	Quantity	Cost
			Rs. a. p.		
1	Earthwork excavation and filling in basement ..	C.yd.	0 3 6	27	
2	Size stone in clay foundation and basement ..	C.ft.	0 4 6	516	
3	Burnt brick in clay	,,	0 3 6	994	
4	Providing and fixing burnt stone slabs 6″ thick, dressed and fixed	S.ft.	0 8 0	30	
5	Providing and fixing lintel slab 6″ thick with cement concrete and S. M. rails	R.ft.	2 0 0	12	
6	Providing and fixing a truss of 2 S. M. rail and tie road as per sketch	Each	25 0 0	1	
7	Providing and fixing 2 S. M. rails of 40 lbs. ..	R.ft.	1 0 0	61	
8	Honney wood work wrought and put up including wood oiling	C.ft.	3 8 0	6·19	
9	Roofing with 24 B.W.G. corrugated sheet roofing with ridge sheet including bolts, nuts, etc., complete	Sqr.	15 0 0	6·27	
10	Plastering with lime mortar	,,	4 0 0	16·46	
11	Whitewashing as per plastering	,,	0 4 0	16·46	
12	Providing and fixing galvanized shutters, doors with teak frames, etc., complete	S.ft.	1 4 0	160	
13	Putting mortar bands of 6″×6″ at roof ends ..	R.ft.	0 2 6	30	
14	Cement plastering the sides of pit	Sqr.	8 0 0	1·69	
15	Providing and fixing L iron 2″×2″×$\frac{3}{8}$″ alround the pit	R.ft.	0 8 0	30	

Notification dated 27th September 1936.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Hassan Division, up to 17th October 1936 up to 2 P.M., for constructing Senior Operator's quarters at Hassan. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of April 1937.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Hassan, between the hours of 11 A.M. and 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Engineer. The tenders should be accompanied by a statement in the form given the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 175 in cash or Notes, as earnest money, and be superscribed "Tender for const quarters at Hassan," in default of which tenders will be rejec

5. The final acceptance of any tender will rest with the himself to accept the lowest or any tender or tender.

6. Within eight days of the to execute the usual

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Quotations must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than estimated rate will not be accepted.

Abstract of estimate for constructing Senior Operator's Quarters at Hassan.

Item No.	Description of work	Per	Rate	Quantity	Cost
			Rs. a. p.		
1	Earthwork excavation in ordinary soil and filling in basement	C.yd.			
		C.ft.	0 3 0	59	
2(a)	Stone jelly in lime mortar for foundation	,,	0 4 0	442	
(b)	Size stones in clay for foundation and basement	,,	0 4 6	1,383	
(c)	Burnt brick in clay superstructure	,,	0 3 6	1,944	
(d)	Burnt brick in mortar		0 4 6	552	
(e)	Burnt stone slabs 6″ thick, dressed and fixed in mortar	S.ft.			
		,,	0 8 0	171	
(f)	Burnt stone slabs 3″ thick, fixed over beams	,,	0 5 0	28	
(g)	Pointing with cement mortar	Sqr.	4 0 0	24	
(h)	Plastering with lime mortar	,,	4 0 0	48·22	
(i)	White and colour washing	R.ft.	0 5 0	50·62	
(j)	Plain cornice 9″		0 8 0	52	
(k)	Parapet wall 9″ thick, 1½′ high brick in mortar complete with plastering	,,	0 12 0	50	
3	Flooring with 1″ cement concrete on a bed of 3″ lime concrete	Sqr.	20 0 0	8·4	
4(a)	Roofing with First Class Mangalore Tiles on teak reepers	,,	24 0 0	12·03	
(b)	Ridge tiles set in mortar		0 8 0	73	
(c)	Madras terrace including plastering, etc., complete	,,	40 0 0	2·89	
(d)	Honney wood work wrought and put up complete with wood oiling	C.ft. R.ft.	3 8 0	60·00	
(e)	Plain teakwood eave board 9″		0 9 0	130	
(f)	Teakwood doors with battened shutters 1″ thick including fixing hinges, etc., complete	S.ft.	1 12 0	163	
(g)	Teakwood windows with pannelled shutters 1″ thick, including iron fittings, etc., complete	,,	2 0 0	110	
5	Providing and fixing R. S. beams with painting etc., complete	Cwt.	10 0 0	14.8	
6	Expanded metal framing with teak frame with doorways, etc., complete	S.ft.	0 12 0	111	
7	Chocolate painting, 2 coats	Sqr.	3 8 0	11·17	
8	Ventilating tiles fixed in lime mortar	Each	2 0 0	6	
9	Constructing sinks, etc., complete with plastering	,,	5 0 0	2	
10	Providing and fixing mortar and pestle	,,	10 0 0	1	
11	Mortar bands at roof ends	R.ft.	0 2 6	26	
12	Rain water down pipes 3″ diameter fixed	,,	0 6 0	50	
13	Providing silk pattern drain alround leading to absorption pit, etc.	L. S.	Rupees		
	Latrine.				
1	Earthwork excavation	C.yd.	0 3 0	4	
2(a)	Coarse rubble stones in clay	C.ft.	0 3 3	130	
(b)	Burnt brick in lime mortar	,,	0 5 0	196	
(c)	Chunam plastering	Sqr.	4 0 0	4·91	
(d)	Cement pointing	,,	4 0 0	0·56	
(e)	White and colour washing	,,	0 5 0	5·47	
(f)	Cement plastering, ½″ thick	,,	9 0 0	0·79	

Item No.	Description of work	Per	Rate	Quantity	Cost
			Rs. a. p.		
(g)	Tar washing 2 coats	Sqr.	2 0 0	0.63	
3	Flooring with 3" concrete and cement plastering ½" thick	"	20 0 0	0.38	
4	Fixing outlets and constructing drains, etc. ..	L. S.	..		
5	Providing galvanized iron sheet tubs 12"×6" with tarring	Each	1 0 0	6	

N. LAKSHMINARASIMHAIYA,
Executive Engineer.

MEDICAL DEPARTMENT

VICTORIA, MINTO OPHTHALMIC, VANI VILAS AND CHILDREN'S HOSPITALS, BANGALORE.

Abstract Notification.

Sealed tenders, in triplicate, on half-sheet sized foolscap paper will be received at the Office of the Secretary, Victoria, Minto Ophthalmic, Vani Vilas and Children's Hospitals, Bangalore (in the Victoria Hospital) by the undersigned at 11 A.M. on Monday the 9th November 1936 for the supply of "diet and other articles" required for the use of the said Hospitals, from 1st January 1937 to 31st December 1937 (both days inclusive). For further particulars, please refer to the detailed notification published in pages 1930-1932, Part VI of the *Mysore Gazette*, dated 24th September 1936.

Abstract Notification.

Sealed tenders, in triplicate, on half-sheet sized foolscap paper will be received at the Office of the Secretary (Victoria Hospital), Victoria, Minto Opthalmic, Vani Vilas and Children's Hospitals, Bangalore, by the undersigned at 11 A.M. on Monday the 9th November 1936, for the supply of Cows' Milk required for the use of the said Hospitals from 1st January 1937 to 31st December 1937 (both days inclusive). For further particulars, please refer to the detailed notification published in pages 1529-1530, Part VI of the *Mysore Gazette*, dated 24th September 1936.

Abstract Notification dated the 18th September 1936.

Sealed tenders, in triplicate, on half-sheet foolscap paper, will be received at the Office of the Secretary, Victoria, Vani Vilas and Minto Ophthalmic Hospitals (in his Office in the Victoria Hospital) Bangalore, by the undersigned at 11 A.M. on 2nd October 1936, for the supply of Bedding and Clothing required for the use of the Vani Vilas Hospital, Bangalore. For details, please refer to part VI, page 1533 of the *Mysore Gazette*, dated 24th September 1936.

Abstract Notification dated the 18th September 1936.

Sealed tenders, in triplicate, on half-sheet foolscap paper will be received at the Office of the Secretary, Victoria, Vani Vilas and Minto Hospitals, Bangalore (in his Office in the Victoria Hospital) by the undersigned at 11 A.M. on 31st October 1936 (Saturday) for the supply of Bedding and Clothing required for the use of the Children's Hospital, Bangalore. For details, please refer to part VI, page 1535 of the *Mysore Gazette*, dated 24th September 1936.

VANI VILAS HOSPITAL, BANGALORE CITY.

Notification dated 21st September 1936.

It is hereby notified for the information of the General public that unserviceable furniture, etc., as per undermentioned list, belonging to the Vani Vilas Hospital, Bangalore, will be sold by public auction on Monday the 12th October 1936, at 4 P.M., in the premises of the Parvathamma Chandrasekhara Out-patient Dispensary Vani Vilas Hospital. The articles will be knocked down to the